



A166

Brazed Carbide Tip Taper Shank Drill - Metric



d_1 R _{h8} mm	d_1 decimal Inch	l_2 mm	l_1 mm	MK	e-code	USD
10.00	0.3937	87	168	1	A16610.0	159.00
10.50	0.4134	87	168	1	A16610.5	121.00
11.00	0.4331	94	175	1	A16611.0	127.00
11.50	0.4528	94	175	1	A16611.5	149.00
12.00	0.4724	101	182	1	A16612.0	162.00
13.00	0.5118	101	182	1	A16613.0	173.00
13.50	0.5315	108	189	1	A16613.5	153.00
14.00	0.5512	108	189	1	A16614.0	186.00
15.00	0.5906	114	212	2	A16615.0	203.00
16.00	0.6299	120	218	2	A16616.0	208.00
17.00	0.6693	125	223	2	A16617.0	249.00
17.50	0.6890	130	228	2	A16617.5	214.00
18.00	0.7087	130	228	2	A16618.0	249.00
19.00	0.7480	135	233	2	A16619.0	267.00
20.00	0.7874	140	238	2	A16620.0	286.00
21.00	0.8268	145	243	2	A16621.0	316.00
22.00	0.8661	150	248	2	A16622.0	358.00
22.50	0.8858	155	253	2	A16622.5	342.00
23.00	0.9055	155	253	2	A16623.0	401.00
24.00	0.9449	160	281	3	A16624.0	418.00
25.00	0.9843	160	281	3	A16625.0	476.00
26.00	1.0236	165	286	3	A16626.0	529.00
27.00	1.0630	170	291	3	A16627.0	607.00
28.00	1.1024	170	291	3	A16628.0	728.00
29.00	1.1417	175	296	3	A16629.0	728.00
30.00	1.1811	175	296	3	A16630.0	755.00

d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	MK	e-code	USD
32.00	1.2598	185	334	4	A16632.0	717.00
33.00	1.2992	185	334	4	A16633.0	776.00