


E061




UNC Hand Tap Straight Flute






3.1 3.2 3.3 3.4 7.4

1.1 1.2 1.3 1.4 1.5 1.6 6.1 6.2 6.3 7.3 8.2 8.3

UNC	TPI	l_1 Inch	l_2 Inch	d_2 Inch	$\frac{\square}{a}$ Inch	z	Limits			l_4 Inch	e-code	USD
6	32	2"	0.5800	0.1410	0.1100	3	H3	36	2.85	0.5800	E0616-32NO1	10.40
6	32	2"	0.5800	0.1410	0.1100	3	H3	36	2.85	0.5800	E0616-32NO2	10.40
6	32	2"	0.5800	0.1410	0.1100	3	H3	36	2.85	0.5800	E0616-32NO3	10.40
6	32	2"	0.5800	0.1410	0.1100	3	H3	36	2.85	0.5800	E0616-32NO6	31.10
8	32	2.1/8	0.6500	0.1680	0.1310	4	H3	29	3.50	0.6500	E0618-32NO1	10.40
8	32	2.1/8	0.6500	0.1680	0.1310	4	H3	29	3.50	0.6500	E0618-32NO2	10.40
8	32	2.1/8	0.6500	0.1680	0.1310	4	H3	29	3.50	0.6500	E0618-32NO3	10.40
8	32	2.1/8	0.6500	0.1680	0.1310	4	H3	29	3.50	0.6500	E0618-32NO6	31.10
10	24	2.3/8	0.7600	0.1940	0.1520	4	H3	25	3.90	0.7600	E06110-24NO1	10.95
10	24	2.3/8	0.7600	0.1940	0.1520	4	H3	25	3.90	0.7600	E06110-24NO2	10.95
10	24	2.3/8	0.7600	0.1940	0.1520	4	H3	25	3.90	0.7600	E06110-24NO3	10.95
10	24	2.3/8	0.7600	0.1940	0.1520	4	H3	25	3.90	0.7600	E06110-24NO6	33.05
12	24	2.3/8	0.8100	0.2200	0.1650	4	H3	16	4.50	0.8100	E06112-24NO1	11.65
12	24	2.3/8	0.8100	0.2200	0.1650	4	H3	16	4.50	0.8100	E06112-24NO2	11.65
12	24	2.3/8	0.8100	0.2200	0.1650	4	H3	16	4.50	0.8100	E06112-24NO3	11.65
12	24	2.3/8	0.8100	0.2200	0.1650	4	H3	16	4.50	0.8100	E06112-24NO6	34.90
1/4	20	2.1/2	0.6500	0.2550	0.1910	4	H3	7	5.10	1.0630	E0611/4NO1	11.10
1/4	20	2.1/2	0.6500	0.2550	0.1910	4	H3	7	5.10	1.0630	E0611/4NO2	11.10
1/4	20	2.1/2	0.6500	0.2550	0.1910	4	H3	7	5.10	1.0630	E0611/4NO3	11.10
1/4	20	2.1/2	0.6500	0.2550	0.1910	4	H3	7	5.10	1.0630	E0611/4NO6	33.40
5/16	18	2.23/3 2	0.7700	0.3180	0.2380	4	H3	F	6.60	1.2598	E0615/16NO1	13.85
5/16	18	2.23/3 2	0.7700	0.3180	0.2380	4	H3	F	6.60	1.2598	E0615/16NO2	13.85
5/16	18	2.23/3 2	0.7700	0.3180	0.2380	4	H3	F	6.60	1.2598	E0615/16NO3	13.85

UNC	TPI	l ₁ Inch	l ₂ Inch	d ₂ R Inch	 a Inch	z	Limits			l ₄ Inch	e-code	USD
5/16	18	2.23/3 2	0.7700	0.3180	0.2380	4	H3	F	6.60	1.2598	E0615/16NO6	41.60
3/8	16	2.15/1 6	0.8100	0.3810	0.2860	4	H3	5/16	8.00	1.3780	E0613/8NO1	15.80
3/8	16	2.15/1 6	0.8100	0.3810	0.2860	4	H3	5/16	8.00	1.3780	E0613/8NO2	15.80
3/8	16	2.15/1 6	0.8100	0.3810	0.2860	4	H3	5/16	8.00	1.3780	E0613/8NO3	15.80
3/8	16	2.15/1 6	0.8100	0.3810	0.2860	4	H3	5/16	8.00	1.3780	E0613/8NO6	47.55
7/16	14	3.5/32	0.9055	0.3230	0.2420	4	H3	U	9.40	-	E0617/16NO1	27.05
7/16	14	3.5/32	0.9055	0.3230	0.2420	4	H3	U	9.40	-	E0617/16NO2	27.05
7/16	14	3.5/32	0.9055	0.3230	0.2420	4	H3	U	9.40	-	E0617/16NO3	27.05
7/16	14	3.5/32	0.9055	0.3230	0.2420	4	H3	U	9.40	-	E0617/16NO6	81.40
1/2	13	3.3/8	0.9055	0.3670	0.2750	4	H3	27/64	10.80	-	E0611/2NO1	27.90
1/2	13	3.3/8	0.9055	0.3670	0.2750	4	H3	27/64	10.80	-	E0611/2NO2	27.90
1/2	13	3.3/8	0.9055	0.3670	0.2750	4	H3	27/64	10.80	-	E0611/2NO3	27.90
1/2	13	3.3/8	0.9055	0.3670	0.2750	4	H3	27/64	10.80	-	E0611/2NO6	84.00
9/16	12	3.19/3 2	0.9843	0.4290	0.3220	4	H3	27/64	12.20	-	E0619/16NO1	46.95
9/16	12	3.19/3 2	0.9843	0.4290	0.3220	4	H3	31/64	12.20	-	E0619/16NO2	46.95
9/16	12	3.19/3 2	0.9843	0.4290	0.3220	4	H3	31/64	12.20	-	E0619/16NO3	46.95
9/16	12	3.19/3 2	0.9843	0.4290	0.3220	4	H3	31/64	12.20	-	E0619/16NO6	143.00
5/8	11	3.13/1 6	0.9843	0.4800	0.3600	4	H3	17/32	13.50	-	E0615/8NO1	56.90
5/8	11	3.13/1 6	0.9843	0.4800	0.3600	4	H3	17/32	13.50	-	E0615/8NO2	56.90
5/8	11	3.13/1 6	0.9843	0.4800	0.3600	4	H3	17/32	13.50	-	E0615/8NO3	56.90
5/8	11	3.13/1 6	0.9843	0.4800	0.3600	4	H3	17/32	13.50	-	E0615/8NO6	170.00
3/4	10	4.1/4	1.1811	0.5900	0.4420	4	H3	21/32	16.50	-	E0613/4NO1	78.50
3/4	10	4.1/4	1.1811	0.5900	0.4420	4	H3	21/32	16.50	-	E0613/4NO2	78.50
3/4	10	4.1/4	1.1811	0.5900	0.4420	4	H3	21/32	16.50	-	E0613/4NO3	78.50
3/4	10	4.1/4	1.1811	0.5900	0.4420	4	H3	21/32	16.50	-	E0613/4NO6	235.00
7/8	9	4.11/1 6	1.1811	0.6970	0.5230	4	H4	49/64	19.50	-	E0617/8NO1	109.00
7/8	9	4.11/1 6	1.1811	0.6970	0.5230	4	H4	49/64	19.50	-	E0617/8NO2	109.00
7/8	9	4.11/1 6	1.1811	0.6970	0.5230	4	H4	49/64	19.50	-	E0617/8NO3	109.00
7/8	9	4.11/1 6	1.1811	0.6970	0.5230	4	H4	49/64	19.50	-	E0617/8NO6	¹⁾ 328.00
1"	8	5.1/8	1.4173	0.8000	0.6000	4	H4	7/8	22.25	-	E0611NO1	¹⁾ 146.00
1"	8	5.1/8	1.4173	0.8000	0.6000	4	H4	7/8	22.25	-	E0611NO2	¹⁾ 146.00
1"	8	5.1/8	1.4173	0.8000	0.6000	4	H4	7/8	22.25	-	E0611NO3	¹⁾ 146.00

UNC	TPI	l ₁ Inch	l ₂ Inch	d ₂ R Inch	 a Inch	z	Limits			l ₄ Inch	e-code		USD
1"	8	5.1/8	1.4173	0.8000	0.6000	4	H4	7/8	22.25	-	E0611NO6	¹⁾	437.00
1.1/8	7	5.7/16	1.3976	0.8950	0.6710	4	H4	63/64	25.00	-	E0611.1/8NO1	¹⁾	229.00
1.1/8	7	5.7/16	1.3976	0.8950	0.6710	4	H4	63/64	25.00	-	E0611.1/8NO2	¹⁾	229.00
1.1/8	7	5.7/16	1.3976	0.8950	0.6710	4	H4	63/64	25.00	-	E0611.1/8NO3	¹⁾	229.00
1.1/8	7	5.7/16	1.3976	0.8950	0.6710	4	H4	63/64	25.00	-	E0611.1/8NO6	¹⁾	686.00
1.1/4	7	5.3/4	1.6338	1.0210	0.7650	4	H4	1.7/64	28.00	-	E0611.1/4NO1	¹⁾	301.00
1.1/4	7	5.3/4	1.6338	1.0210	0.7650	4	H4	1.7/64	28.00	-	E0611.1/4NO2	¹⁾	301.00
1.1/4	7	5.3/4	1.6338	1.0210	0.7650	4	H4	1.7/64	28.00	-	E0611.1/4NO3	¹⁾	301.00
1.1/4	7	5.3/4	1.6338	1.0210	0.7650	4	H4	1.7/64	28.00	-	E0611.1/4NO6	¹⁾	897.00
1.3/8	6	6.1/16	1.8700	1.1090	0.8300	4	H4	1.7/32	30.75	-	E0611.3/8NO1	¹⁾	375.00
1.3/8	6	6.1/16	1.8700	1.1090	0.8300	4	H4	1.7/32	30.75	-	E0611.3/8NO2	¹⁾	375.00
1.3/8	6	6.1/16	1.8700	1.1090	0.8300	4	H4	1.7/32	30.75	-	E0611.3/8NO3	¹⁾	375.00
1.1/2	6	6.3/8	1.8700	1.2330	0.9520	4	H4	1.11/3 2	34.00	-	E0611.1/2NO1	¹⁾	435.00
1.1/2	6	6.3/8	1.8700	1.2330	0.9520	4	H4	1.11/3 2	34.00	-	E0611.1/2NO2	¹⁾	435.00
1.1/2	6	6.3/8	1.8700	1.2330	0.9520	4	H4	1.11/3 2	34.00	-	E0611.1/2NO3	¹⁾	435.00
1.1/2	6	6.3/8	1.8700	1.2330	0.9520	4	H4	1.11/3 2	34.00	-	E0611.1/2NO6	¹⁾	1,301.00

¹⁾Bright Finish