



# SPILL CONTAINMENT

## SPILL CONTAINMENT FEATURES

### STANDARD PLATFORM FEATURES



Easily removable grating for cleaning

Flat top grating



Forklift pockets

Modular pallet easy to connect with built in u-channel



## NEW and Improved Products

Eagle introduces a new 1 piece, low profile 4 Drum Modular Spill Pallet. This model 1635 has a sump capacity of 60.5 gallons, measures only 6.5" high, and is compatible with the 1689 Poly Pallet Ramp for easier loading and unloading.

1635 meets EPA 40 CFR 264.175 and is SPCC Compliant

Eagle expanded the Budget Basin Family to include a new one drum unit, model 1636.

Eagle has also improved the design of four spill containment products. The model 1633 Single Drum Modular Platform, the model 1640 4 Drum Spill Containment Pallet, the model 1686 6 Drum Platform and the 1688 8 Drum Platform are now injection molded for improved performance and appearance. 1640, 1686 and 1688 meet EPA 40 CFR 264.175 and are SPCC Compliant



100% Recyclable

# SPILL CONTAINMENT




## BUDGET BASINS

## MODULAR SPILL PLATFORMS


|   |   |  |   |   |   |   |   |
|---|---|--|---|---|---|---|---|
|   |  |  |  |  |  |  |  |
|   |  |  |  |  |  |  |  |
| <b>Model Number</b>                       | <b>1636</b>   | <b>1631</b>  | <b>1638</b>   | <b>1633</b>   | <b>1632</b>   | <b>1634</b>   | <b>1635</b>   |
| <b>Common Name</b>                        | <b>1 Drum Budget Basin</b>  | <b>2 Drum Budget Basin</b>   | <b>4 Drum Budget Basin</b>  | <b>1 Drum Modular Platform</b>  | <b>2 Drum Modular Platform</b>  | <b>4 Drum Modular Platform (2 Piece)</b>  | <b>4 Drum Modular Platform</b>  |
| <b>Dimensions</b><br>W<br>D<br>H          | 26 1/4"<br>26 1/4"<br>6 1/2"  | 26 1/4"<br>51 1/2"<br>6 1/2"   | 51 1/2"<br>51 1/2"<br>7"  | 26 1/4"<br>26"<br>6 1/2"  | 26 1/4"<br>51 1/2"<br>6 1/2"  | 51 1/2"<br>52 1/2"<br>6 1/2"  | 51 1/2"<br>52 1/2"<br>6 1/2"  |
| <b>Sump Capacity</b><br><b>Drain Plug</b> | <b>17.5 Gal.</b><br><b>Optional</b>   | <b>34 Gal.</b><br><b>Optional</b>  | <b>66 Gal.</b><br><b>Yes</b>  | <b>12 Gal.</b><br><b>Optional</b>   | <b>30 Gal.</b><br><b>Optional</b>   | <b>30 Gal. per side</b><br><b>Optional</b>  | <b>60.5 Gal.</b><br><b>Optional</b>   |
| <b>Weight</b>                             | <b>10 lbs.</b>  | <b>20 lbs.</b>   | <b>25 lbs.</b>  | <b>16 lbs.</b>  | <b>32 lbs.</b>  | <b>65 lbs.</b>  | <b>65 lbs.</b>  |
| <b>Load Capacity</b>                      | <b>5,000 lbs.</b>   | <b>5,000 lbs.</b>  | <b>5,000 lbs.</b>   | <b>2,000 lbs.</b>   | <b>5,000 lbs.</b>   | <b>10,000 lbs.</b>  | <b>10,000 lbs.</b>  |
| <b>Fork Pockets</b>                       | <b>No</b>   | <b>No</b>  | <b>No</b>   | <b>No</b>   | <b>Yes</b>  | <b>Yes</b>  | <b>Yes</b>  |
| <b>Compliance</b>                         | -   | -  | -   | EPA 40 CFR 264.175  | EPA 40 CFR 264.175  | EPA 40 CFR 264.175  | EPA 40 CFR 264.175<br>SPCC  |
| <b>Use w/1689 Ramp</b>                    | <b>No</b>   | <b>No</b>  | <b>No</b>   | <b>No</b>   | <b>Yes</b>  | <b>Yes</b>  | <b>Yes</b>  |

Add low cost spill protection to your workplace

**All Eagle Basins, Pallets and Platforms feature:**  
High Performance Engineered Plastic construction for excellent chemical resistance and impact durability for long life.



### Typical Configurations



Modular design allows for multiple configurations. Easy to connect with built-in U-channel. Low profile for easy loading and unloading

Convenient Storage Center



# SPILL CONTAINMENT



## SPILL CONTAINMENT PALLETS

## SPILL CONTAINMENT PLATFORMS

|   |                            |                            |                            |                               |                                |                              |                                      |
|---|----------------------------|----------------------------|----------------------------|-------------------------------|--------------------------------|------------------------------|--------------------------------------|
|   |                            |                            |                            |                               |                                |                              |                                      |
|   |                            |                            |                            |                               |                                |                              |                                      |
| <b>Model Number</b>                       | <b>1620</b>                | <b>1645</b>                | <b>1640</b>                | <b>1646</b>                   | <b>1647</b>                    | <b>1686</b>                  | <b>1688</b>                          |
| <b>Common Name</b>                        | <b>2 Drum Pallet</b>       | <b>4 Drum Pallet</b>       | <b>4 Drum Pallet</b>       | <b>4 Drum Nestable Pallet</b> | <b>4 Drum In-Line Platform</b> | <b>6 Drum Platform</b>       | <b>8 Drum Platform</b>               |
| <b>Dimensions</b><br>W<br>D<br>H          | 51"<br>26 1/4"<br>13 3/4"  | 51 1/2"<br>51 1/2"<br>8"   | 52 1/2"<br>51"<br>13 3/4"  | 58 1/2"<br>58 1/2"<br>7 3/4"  | 103 1/2"<br>26 1/4"<br>6 1/2"  | 78 1/4"<br>51 1/2"<br>6 1/2" | 103"<br>51 1/2"<br>6 1/2"            |
| <b>Sump Capacity</b><br><b>Drain Plug</b> | 66 Gal.<br>Yes             | 66 Gal.<br>Yes             | 132 Gal.<br>Yes            | 66 Gal.<br>Yes                | 60.5 Gal.<br>Optional          | 88 Gal.<br>Optional          | 121 Gal. (60.5 per side)<br>Optional |
| <b>Weight</b>                             | 52 lbs.                    | 67 lbs.                    | 104 lbs.                   | 72 lbs.                       | 64 lbs.                        | 85 lbs.                      | 112 lbs.                             |
| <b>Load Capacity</b>                      | 4,000 lbs.                 | 8,000 lbs.                 | 8,000 lbs.                 | 6,000 lbs.                    | 8,000 lbs.                     | 8,000 lbs.                   | 10,000 lbs.                          |
| <b>Fork Pockets</b>                       | Yes                        | Yes                        | Yes                        | Yes                           | No                             | No                           | No                                   |
| <b>Compliance</b>                         | EPA 40 CFR 264.175<br>SPCC | EPA 40 CFR 264.175<br>SPCC | EPA 40 CFR 264.175<br>SPCC | EPA 40 CFR 264.175<br>SPCC    | EPA 40 CFR 264.175<br>SPCC     | EPA 40 CFR 264.175<br>SPCC   | EPA 40 CFR 264.175<br>SPCC           |
| <b>Use w/1689 Ramp</b>                    | No                         | Yes                        | No                         | Yes                           | Yes                            | Yes                          | Yes                                  |

### All Eagle Pallets and Platforms feature:

High Performance Engineered Plastic construction for excellent chemical resistance and impact durability for long life. Removable grating for easy cleaning.



100% Recyclable



### Poly Pallet Ramp



1689 - Poly Ramp  
45 1/2" L x 32" W x 8" H  
Weight: 32 lbs. - Capacity: 1,500 lbs.

For use with 1632, 1634, 1635,  
1645, 1646, 1647, 1686, 1688,  
1646RTC and 1649.



EPA 40 CFR 264.175: Container storage areas must have a containment system that has sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.



This marker indicates compliance with EPA spill prevention, control and counter-measures regulations.

# SPILL CONTAINMENT



## IBC CONTAINMENT UNITS

## OUTDOOR DRUM STORAGE

## WORKSTATIONS



| Model Number                | 1680                                     | 1683  | 1684   | 1646RTC                     | 1649                         | 1626                           | 1628                            |
|-----------------------------|--|---|--|-----------------------------|------------------------------|--------------------------------|---------------------------------|
| Common Name                 | IBC Containment Unit with Steel Platform | IBC Containment Unit with Poly Platform (Tank not included) | Double All Poly IBC Containment Unit (Tank not included) | Rotary Top Containment Unit | 4 Drum Poly Storage Building | 2 Drum Low-Profile Workstation | 2 Drum High-Profile Workstation |
| Dimensions W<br>D<br>H      | 67"<br>67"<br>26"                        | 67"<br>67"<br>26"   | 118"<br>77½"<br>20"                                      | 59½"<br>73½"<br>68"         | 57½"<br>57½"<br>72"          | 60"<br>34"<br>46"              | 60"<br>34"<br>64"               |
| Sump Capacity<br>Drain Plug | 400 Gal.<br>Optional                     | 400 Gal.<br>Optional  | 400 Gal.<br>Optional                                     | 66 Gal.<br>Yes              | 66 Gal.<br>Optional          | 110 Gal.<br>Optional           | 220 Gal.<br>Optional            |
| Weight                      | 270 lbs.                                 | 245 lbs.  | 450 lbs.   | 295 lbs.                    | 250 lbs.                     | 89 lbs.                        | 120 lbs.                        |
| Load Capacity               | 10,000 lbs.                              | 10,000 lbs.   | 20,000 lbs.<br>(10,000 lbs. per platform)                | 6,000 lbs.                  | 8,000 lbs.                   | 4,000 lbs.                     | 4,000 lbs.                      |
| Fork Pockets                | No                                       | No  | No   | Yes                         | Yes                          | Yes                            | Yes                             |
| Compliance                  | EPA 40 CFR 264.175<br>SPCC               | EPA 40 CFR 264.175<br>SPCC                                  | EPA 40 CFR 264.175<br>SPCC                               | EPA 40 CFR 264.175<br>SPCC  | EPA 40 CFR 264.175<br>SPCC   | EPA 40 CFR 264.175<br>SPCC     | EPA 40 CFR 264.175<br>SPCC      |



IBC Spill Units come with 100% polyethylene containment tub and your choice of metal or poly platforms.

1684 includes 2 front bucket wells for easy dispensing.



EPA 40 CFR 264.175: Container storage areas must have a containment system that has sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.



This marker indicates compliance with EPA Spill Prevention, Control and Countermeasures regulations.



100% Recyclable



**Rotary Top Containment**  
Protect up to four 55 gallon drums from the elements with this rotary style pallet. The height of cover allows storage with drum pumps in place. Usable with poly ramp (1689). 100% polyethylene construction resists corrosion & weathering. Access through front and top only.

**4 Drum Poly Storage Building**  
Securely store up to four 55 gallon drums. Features four-way forklift pockets, vented door louvers, removable grating and top hooks for moving. Note: top hooks are intended only for moving empty building. Door opening accepts up to a 48" x 48" pallet.



**2 Drum Workstations**  
A secure way to store drums inside or outside. Available in low (1626) or high (1628) profile for the storage of two drums. Units are forkliftable and have optional dolly allowing for easier movement on worksite. Includes locks for secure storage.

1629 - Workstation Dolly



1,500 lb. Capacity