

Catalog of 3M Automotive Aftermarket Products - November 1, 2012 ATP-S

3M™ Accuspray System, Model HG18

This revolutionary product allows you to have a brand new spray gun on demand. The innovative technology was designed from the inside out for the efficient and economical application of material.



3M ID	60455064125
Part Number	16570
UPC	0-00-51131-16570-0
Packaging	1 per case

3M™ Green Corps™ Abrasive File Belt





The 3M™ Green Corps™ abrasive belts are designed to be used for spot weld and hem flange removal as well as grinding in other tight areas.

Packaging	20 belts per box, 5 boxes per case
Size	1/2 in x 18 in

Part Number	3M ID	UPC	Grade
31801	60455070577	0-00-51131-31801-4	36
31804	60455070593	0-00-51131-31804-5	80









3M™ Moon Dawg™ Premium Safety Glasses

Surf-inspired Moon Dawg™ safety glasses are your comfortable, stylish choice for protective eyewear. Its lightweight, wide temple frame offers enhanced coverage, and its durable construction makes it a cool outdoor safety sunwear option.

	11213	11214	11215	11216
				
3M ID	70071539368	70071539376	70071539384	70071539392
Part Number	11213	11214	11215	11216
UPC	1-00-78371-62176-3	1-00-78371-62177-0	1-00-78371-62178-7	1-00-78371-62179-4
Lens	Gray Anti-Fog	Mirror	Gray Anti-Fog	Mirror
Frame	Tortoise Shell	Tortoise Shell	Black	Black






Catalog of 3M Automotive Aftermarket Products - November 1, 2012 ATP-S

3M™ Power Tools and Accessories

	05622	20233	28366	28408
				
Description	For use with all 3M™ disc pad hub and face plates and 3M fibre disc holders. Has a 5/8-11 INT thread and has 3/8 inch thread length. Has 1/4 inch diameter holes for use with a spanner wrench.	Whether cutting tube, pipe, rebar, or sheets, 3M™ Cut-Off Wheel Tools can deliver fast, smooth performance. These 1 HP tools, combined with 3M™ Cut-Off Wheels have the power you need to cut through carbon steel, stainless steel and other materials.	Ideally suited for use with 3M™ Abrasive Belts and Scotch-Brite™ Belts for a variety of metalworking applications. Grind and blend from contact wheel or platen, finish and polish from slack of belt.	Sander to be used with 4 in, 4-1/2 in and 5 in Coated and Surface Conditioning Products with MOS Ratings of 12,000 RPM or greater. Removable side handle furnished with tool.
3M ID	60980108397	60440179418	60440236689	60440237133
Part Number	05622	20233	28366	28408
UPC	0-00-51144-05622-4	0-00-51141-20233-4	0-00-51141-28366-1	0-00-51141-28408-8
Product Name	3M™ Disc Retainer Nut	3M™ Cut-Off Wheel Tool	3M™ File Belt Sander	3M™ Disc Sander
Packaging	10 per case	1 per case	1 per case	1 per case
Size	3/8 Inch	3 Inch	14.57 in x 5.95 in x 2.93 in	4 in - 5 in
Type			Pneumatic Power Tool	Pneumatic Power Tool
	28701	28702	28703	28704
Description	Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.	Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.	Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.	Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.
3M ID	60440240228	60440240236	60440240244	60440240251
Part Number	28701	28702	28703	28704
UPC	0-00-51141-28701-0	0-00-51141-28702-7	0-00-51141-28703-4	0-00-51141-28704-1
Product Name	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series	3M™ Random Orbital Sander - Elite Series
Packaging	1 per case	1 per case	1 per case	1 per case
Size	6 Inch	6 Inch	6 Inch	6 Inch
Type	Non-Vacuum	Self-Generated Vacuum	Non-Vacuum	Self-Generated Vacuum
	45190	45205	51047	64458
				
Description	Disc pad hub has a 5/8-11 internal threaded metal insert and can be used on 7 in, 8 in and 9 in face plates.	Disc pad hub has a 5/8-11 INT threaded metal insert and can be used on all face plates. Use with 4-1/2 inch and 9 inch face plates.	For use with all 3M™ disc pad hub and face plates and 3M™ fibre disc holders. Has a 5/8-11 INT thread and has 5/8 inch thread length. Has 1/4 inch diameter holes for use with a spanner wrench.	Aggressive and long lasting non-woven belt for deburring, finishing, blending, and cleaning. The reinforced low-stretch backing offers good flexibility and great edge durability. Excellent for portable belt tools.
3M ID	60980006518	60980008084	60980038180	61500295839
Part Number	45190	45205	51047	64458
UPC	0-00-51144-45190-6	0-00-51144-45205-7	0-00-51111-51047	0-00-48011-64458-5
Product Name	3M™ Disc Pad Hub	3M™ Disc Pad Hub	3M™ Disc Retainer Nut	Scotch-Brite™ Durable Flex Belt
Packaging	10 per case	10 per case	10 per case	20 per case
Size	4-1/2 Inch	2-1/2 Inch	5/16 Inch	1/2 Inch x 18 Inch
Type				MED

Catalog of 3M Automotive Aftermarket Products - November 1, 2012 ATP-S

3M™ Power Tools and Accessories (continued)

	64467	64475	80515	81729
Description	 Aggressive and long lasting non-woven belt for deburring, finishing, blending, and cleaning. The reinforced low-stretch backing offers good flexibility and great edge durability. Excellent for portable belt tools.	 Aggressive and long lasting non-woven belt for deburring, finishing, blending, and cleaning. The reinforced low-stretch backing offers good flexibility and great edge durability. Excellent for portable belt tools.	 Ribbed face plate results in a cooler running disc. Use with 7 inch diameter x 7/8 inch Fibre Discs. Use with 4-1/2 inch Disc Pad Hub or 2-1/2 inch hub for more flexibility. Hard - black	 Ribbed face plate results in a cooler running disc. Use with 9 inch diameter x 7/8 inch Fibre Discs. Use with 4-1/2 inch Disc Pad Hub or 2-1/2 inch hub for more flexibility. Hard - black.
3M ID	61500295912	61500295995	60980108215	60980108389
Part Number	64467	64475	80515	81729
UPC	0-00-48011-64467-7	0-00-48011-64475-2	60-9801-0821-5	0-00-51144-81729-0
Product Name	Scotch-Brite™ Durable Flex Belt	Scotch-Brite™ Durable Flex Belt	3M™ Disc Pad Face Plate Ribbed	3M™ Disc Pad Face Plate Ribbed
Packaging	20 per case	20 per case	10 per case	10 per case
Size	1/2 Inch x 18 Inch	1/2 Inch x 18 Inch	7 Inch	9 Inch
Type	FIN	CRS		
81733				
Description	 Ribbed face plate results in a cooler running disc. Higher pressure on the ribbed sections prolongs disc life when dulling is a problem. Use with 5 in diameter x 7/8 in center hole Fibre Discs and 2-1/2 in Disc Pad hub.			
3M ID	60980108272			
Part Number	81733			
UPC	0-00-51144-81733-7			
Product Name	3M™ Disc Pad Face Plate Ribbed			
Packaging	10 per case			
Size	5 Inch			
Type				

3M™ Sound Reduction Mat

The 3M™ Sound Reduction Mat is a self-adhesive, conformable mat used to suppress noise and vibration in your vehicle.

3M ID 60455068852
 Part Number 38500
 UPC 0-00-51131-38500-9
 Packaging 4 per case
 Size 19-11/16 Inch x 19-11/16 Inch



Catalog of 3M Automotive Aftermarket Products - November 1, 2012 ATP-S

3M™ Trizact™ Hookit™ Foam Hand Sheets

3M™ Trizact™ Hookit™ Foam Sheets are designed to be used in hand sanding applications as a part of the paint finishing process for refining wet sanding scratches prior to using either 3M™ Rubbing Compound or 3M™ Perfect-It™ Rubbing Compound. For best results, they should be used with the 3M™ Hookit™ Foam Hand Sanding Pad PN05612.

Part Number	3M ID	UPC	Packaging	Grade
30189	60455069868	0-00-51131-30189-4	5 sheets per sleeve, 10 sleeves per case	5000
30190	60455069850	0-00-51131-30190-0	5 sheets per sleeve, 10 sleeves per case	P3000
30289	60455069843	0-00-51131-30289-1	15 sheets per box, 4 boxes per case	5000
30290	60455069835	0-00-51131-30290-7	15 sheets per box, 4 boxes per case	P3000




3M™ Wetordry™ Paper Sheet 9 in x 11 in

For very light sanding on all automotive paints on areas that require hand compounding and for sanding dark colored paints. 3M's fastest cutting, longest lasting abrasive for saving labor cost and improving quality.

Packaging 50 sheets per box, 5 boxes per case
Size 9 Inch x 11 Inch





Part Number	3M ID	UPC	Grade
01999	60455067607	0-00-51131-01999-7	3000
01984	60455067623	0-00-51131-01984-3	800

Bondo® Single Use Expansion




	00230	00256	00270
Description	 Bondo® Professional Gold Body Filler Single is meant for a one time use to repair dents, patch holes and leaks and restore chips quickly and easily on a variety of surfaces.	 Bondo® Metal Fill Single is meant for a one time use to repair dents, patch holes and leaks and restore chips quickly and easily. It is specially formulated with metallic aluminum flakes to produce a metal-like finished appearance.	 Bondo® Glass Single is meant for a one time use to repair rusted-out metal holes and shattered fiberglass body parts.
3M ID	60455065536	60455065544	60455065528
Part Number	00230	00256	00270
UPC	0-00-51131-00230-2	0-00-51131-00256-2	0-00-51131-00270-8
Product Name	Bondo® Professional Gold Body Filler	Bondo® Metal Fill	Bondo® Glass
Packaging	4 per case	4 per case	4 per case
Size	6 Ounce	7.05 Ounce	7.05 Ounce

Catalog of 3M Automotive Aftermarket Products - November 1, 2012 ATP-S

Marine Premium Filler, Marine High Strength Filler, Marine Filler




	46002	46010	46016	46018
Description	 Excellent adhesion to difficult surfaces like Cured Polyester Resin, Cured Vinyl Ester Resin, Gelcoat, Steel, Aluminum, and E-Coat.	 Excellent adhesion to difficult surfaces like Cured Polyester Resin, Cured Vinyl Ester Resin, Gelcoat, Steel, Aluminum, and E-Coat.	 3M™ Marine Filler is a creamy formula that achieves great adhesion to Aluminum, Fiberglass, Wood, Resin, Gelcoat, SMC, cured Epoxy, Urethane and Primers. Intended for Above the Waterline Use.	 3M™ Marine Filler is a creamy formula that achieves great adhesion to Aluminum, Fiberglass, Wood, Resin, Gelcoat, SMC, cured Epoxy, Urethane and Primers. Intended for Above the Waterline Use.
3M ID	60455064976	60455064992	60455065205	60455065163
UPC	0-00-51131-46002-7	0-00-51131-46010-2	0-00-51131-46016-4	0-00-51131-46018-8
Product Name	3M™ Marine Premium Filler	3M™ Marine High Strength Repair Filler	3M™ Marine Filler	3M™ Marine Filler
Packaging	12 per case	12 per case	12 per case	6 per case
Size	6 Ounce	6 Ounce	6 Ounce	1 Pint
Hardener Included	Yes	Yes	-	-

Next Generation for Dynamic Mixing System (DMS)

	55847	55849	55887
Description	 This nozzle's active mixing action completely blends materials, and its short length guarantees low waste. Developed for use with 3M Adhesives and Sealers packaged for the Dynamic Mixing System.	 A kit containing items necessary to get started with 3M's Dynamic Mixing System, included Applicator, Adhesive/Sealer Nozzles and Accessories.	 Two-part epoxy used to repair most flexible plastic parts, including bumper covers and other plastic body panels. This product should NOT be used with SMC/fiberglass. This product is easy sanding and formulated for excellent feather-edge
3M ID	60455054852	60455067516	60455054829
Part Number	55847	55849	55887
UPC	0-00-76308-55847-5	0-00-76308-55849-9	0-00-76308-55887-1
Product Name	3M™ Dynamic Mixing Nozzles - Adhesives/Sealers	3M™ Dynamic Mixing System Adhesive/Sealer Kit	3M™ EZ Sand Flexible Parts Repair Adhesive
Packaging	50 nozzles per box, 6 boxes per case	1 per case	4 per case
Size	-	-	600 Millilitre

Catalog of 3M Automotive Aftermarket Products - November 1, 2012 ATP-S

Next Generation for Dynamic Mixing System (DMS) (continued)



	58115	58207	58308
Description	 <p>Two-part epoxy used to bond steel, aluminum, SMC, and FRP (traditional fiberglass). The primary use is to replace quarter panels, roofs, box sides, van sides, utility vehicle sides and door skins</p>	 <p>This nozzle extension is to assist the user to extrude DMS Products into hard to reach places. Developed for use with 3M™ Dynamic Mixing System Products.</p>	 <p>Two-part epoxy for use in vertical or horizontal seams to match OEM sealers. Non-sagging, non-flowing, and easy to tool. Paintable in 30 minutes, worktime, 10 minutes. No shrinkage or cracking.</p>
3M ID	60455054837	60455067508	60455054845
Part Number	58115	58207	58308
UPC	0-00-76308-58115-2	0-00-76308-58207-4	0-00-76308-58308-8
Product Name	3M™ Panel Bonding Adhesive	3M™ Dynamic Mixing Nozzle Extension	3M™ Heavy-Bodied Seam Sealer
Packaging	4 per case	12 nozzles per bag, 6 bags per case	4 per case
Size	450 Millilitre		600 Millilitre

Scotch-Brite™ Durable Flex Hand Pads

Ultra flexible and conformable web for cleaning or fine finishing. Replaces steel wool to eliminate contamination.

Packaging 25 pads per box, 4 boxes per case

Size 4-1/2 Inch x 9 Inch

	64659	64660
		
3M ID	61500297686	61500297694
Part Number	64659	64660
UPC	0-00-48011-64659-6	0-00-48011-64660-2
Grade	VFN	ULF

3M™ Purple Clean Sanding Hookit(TM) Disc

3M's longest lasting C weight 80 grade abrasive used for stripping paint and sanding filler. Precise hole pattern allow best dust extraction when used with 3M dust free dual action sanders. Use with disc pad PN05865.

3M ID	60455067334
Part Number	30783
UPC	0-00-51131-30783-4
Packaging	50 discs per box, 4 boxes per case
Size	6 Inch
Grade	P80
Backing Weight	C